VURSA kd SERIES SHOWER STALL







SH3P-3232 (3-piece)


Rough-In Dimensions	32" wide x 33-1/4" deep x 76-1/4" high (with 4-inch dam)
Finished Dimensions	32" wide x 32" deep x 75" high (with 4-inch dam)
Unit Features Home Innovation LAB CERTIFIED	 Three - Piece Fiberglass Composite Construction Sanitary Grade Polyester Gelcoat Surface Front-Side Installation With Minimal Sealant Requirements 3-3/8" Dia. Center Drain Anti-Drip Front Dam Ledge Back Wall Shelving Textured Floor Pattern 1/2-inch Balsa Wood Core Floor Structure
Special Notes	 Optional ABF Model (provides 3-inches of drain clearance) 'QwikClic' Technology (Patents Pending) Factory Applied Reinforcement Packages Available (see following pages) SH3P-3232 Provides Less Than 900 sq. Inches Of Floor Area

VURSA kd SERIES SHOWER STALL

Order No.: SH3P-3232 (4" dam)

Order No.:SH3P-3232 ABF (6" dam)

32" x 32", 3-piece gelcoated fiberglass shower with 'QuikClic', front side installation, 4" low profile dam (1" drain clearance) upper-level back wall shelves and center drain.




NOTE: This model is non-conforming in size and has less than a 900 square-inch interior area.



Package Order No.: FH (Fair Housing wall reinforcement)




Package Includes: Factory applied, HUD-FHA compliant (Fair Housing), structurally reinforced wall areas (as shown).



Package Order No.: 3SM (3-side, mid-level wall reinforcement)



Package Includes: Factory applied, 3-side, mid-level, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements.





Package Order No.: 3SF (3-side, full-wall reinforcement)



Package Includes: Factory applied, 3-side, full-wrap, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements.

